



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction
 - 1.1 Obstacles of *in vitro* cell culture
 - 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™
2. Optimising cellular assays
 - 2.1 Cell proliferation
 - 2.2 Primary and long term adhesion
 - 2.3 Expression of adhesion proteins
 - 2.4 Transfection
 - 2.5 Albumin secretion
3. Summary
 - 3.1 List of cell lines
 - 3.2 Further information
4. Ordering Information
5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.



Content

1. Introduction

- 1.1 Obstacles of *in vitro* cell culture
- 1.2 Tissue culture surfaces
 - 1.2.1 Physical surface treatment
 - 1.2.2 Biological coated surfaces
 - 1.2.3 Advanced TC™

2. Optimising cellular assays

- 2.1 Cell proliferation
- 2.2 Primary and long term adhesion
- 2.3 Expression of adhesion proteins
- 2.4 Transfection
- 2.5 Albumin secretion

3. Summary

- 3.1 List of cell lines
- 3.2 Further information

4. Ordering Information

5. Literature

Advanced TC™:

An innovative surface improving cellular assays

1. Introduction

Cellular assays and screening approaches using immortalised cell lines, primary cells or co-culture models are nowadays one of the most important biotechnological tools used in basic research. Scientists in both the academic and industrial arenas are increasingly adopting a cell-based approach, shifting their focus away from biochemical analysis of discrete cellular components to the complex analysis of an *in vivo*-like system¹. The utilisation of living cells leads to more comprehensive data, which complements and enhances results gained from biochemical assays.

1.1 Obstacles of *in vitro* cell culture

Cell cultivation and propagation *in vitro* can be challenging. *In vivo* cells of a multi-cellular organism are embedded in the three-dimensional structure of the extracellular matrix (ECM) of adjacent cells. In addition to providing structural support, the ECM also comprises a wide range of cellular growth factors and mediates biochemical signals which essentially influence cellular proliferation and survival^{2,3}.