

# Technical Datasheet

Date: 14.02.17

Page 1 of 1



EN ISO 13485 certified

		EN ISO certified
<b>Article - No:</b>	<b>02-252-0000</b>	<b>Revision: 3</b>
<b>Remarks</b>	<b>Fitting plug: 02-673-0000</b>	<b>single use only</b>

## Specification

<b>Product</b>	Test tube PP, round bottom, 20ml, Ø16x150 mm, transparent, max. RCF 3.000g, autoclavable up to 121°C
<b>Dimensions</b>	outer diameter: 16,00 mm (+/- 0,2 mm)
	height: 150,00 mm (+/- 0,2 mm)
<b>Colour</b>	transparent
<b>Nominal Capacity</b>	20ml
<b>Material Characteristics</b>	polypropylene (PP)
<b>Temperature range</b>	-10°C - 121°C
<b>Autoclavability</b>	autocl. up to 121°C
<b>Centrifugation</b>	max. RCF 3.000g
<b>Product Characteristics</b>	biologically inert
	physiologically harmless
	no heavy metals according to EC/94/62
<b>Shelf - Life</b>	60 months at controlled storage conditions
<b>Packaging</b>	pcs per bag: 1.000
	pcs per carton: 1.000
	pcs per pallet: 20.000
<b>Minimum order qty.</b>	1.000 pcs
<b>Storage</b>	dry condition: 40%-60% rel. humidity
	bags & cases orig. closed
	storage temp. +10°C to max. +30°C
	pal. not stackable
<b>Approved by nerbe plus quality department</b>	