

# Technical Datasheet

Date: 14.02.17

Page 1 of 1

EN ISO 13485 certified

|               |             | EN ISO certified |
|---------------|-------------|------------------|
| Article - No: | 08-602-1903 | Revision: 2      |
| Remarks       |             | single use only  |

## Specification

|                          |  |
|--------------------------|--|
| Product                  | Universal container PP, 125ml, Ø55x72 mm, with enclosed screw cap PE, container transparent, cap red, graduated, with writing area, np pcr ready, Autoclaveable up to 121°C (no cap), CE/IVD |
| Classification           | CE/IVD   |
| Dimensions               | upper Ø: 48,0mm (+/- 0,2mm)<br>bottom Ø: 55,0mm (+/- 0,2mm)<br>height (without cap): 71,7mm (+/- 0,2mm)<br>height (w/ cap): 72,0mm (+/- 0,2mm)   |
| Colour                   | container transp., cap red   |
| Graduation               | grad., writing area  |
| Nominal Capacity         | 125ml  |
| Material Characteristics | container: polypropylene (PP)<br>cap: polyethylene (PE)  |
| Temperature range        | -40°C-75°C   |
| Autoclavability          | Autocl. up to 121°C (no cap)   |
| Product Characteristics  | biol. inert<br>physiol. harmless<br>no heavy metals acc. to EC/94/62<br>Food contact: raw material in compl. with reg. EC 1935/2004  |
| Purity Grade             | free of PCR inhibitors<br>free of human DNA<br>free of RNase and DNase<br>free of pyrogens   |
| Packaging                | pcs per bag: 500<br>pcs per carton: 500<br>pcs per pallet: 12.000  |
| Minimum order qty.       | 500 pcs  |
| Storage                  | dry condition: 40%-60% rel. humidity<br>bags & cases orig. closed<br>storage temp. +10°C to max. +30°C<br>pal. not stackable   |